



KALPATARU

PIPE & FITTINGS



www.kalpatarupipe.com

COMPRESSION TUBE FITTINGS (DOUBLE FERRULES)

TUBE TO MALE PIPE THREAD



MALE CONNECTOR
MC



BULKHEAD MALE
CONNECTOR - BMC



MALE ELBOW
ME



MALE BRANCH
TEE - MBT



MALE RUN TEE
MRT

TUBE TO FEMALE PIPE THREAD



FEMALE CONNECTOR
FC



BULKHEAD FEMALE
CONNECTOR - BFC



FEMALE ELBOW
FE



FEMALE BRANCH
TEE - FBT



FEMALE RUN TEE
FRT

TUBE TO TUBE



UNION -U



BULKHEAD UNION
BU



UNION ELBOW
UE



UNION TEE
UT



UNION CROSS
UC

FRACTIONAL TUBING

: 1/8", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1" in OD

METRIC TUBING

: 3, 6, 8, 10, 12, 14, 16, 18, 20, 22, 25 in mm

STANDARD THREAD

: BSP, NPT, BSPT, UNF, METRIC & OTHERS ON REQUEST

MATERIAL

: SS 304/316/316L/BRASS/INCONEL/MONEL/HAST-C & OTHERS ON REQUEST

INSTRUMENTATION PIPE FITTINGS



HEX NIPPLE



HEX LONG NIPPLE



HEX PLUG



ADAPTER



BUSH



COUPLING



MALE HOSE NIPPLE



FEMALE HOSE NIPPLE



PIPE NIPPLE



HEX COUPLING



FEMALE CAP



THREE PIECE UNION



FEMALE ELBOW



MALE ELBOW



ELBOW - MAL X FEMALE



TEE FEMALE



TEE MALE



CROSS FEMALE

CONNECTION
MATERIAL

: 1/8" TO 1" - NPT/BSP & OTHERS ON REQUEST

: SS 304/316/316L/BRASS/INCONEL/MONEL/HAST-C & OTHERS ON REQUEST



KALPATARU
PIPE & FITTINGS

☎ : +91 66393519 / +91 99200 81850

E-mail : info@kalpatarupipe.com / kalpatarupipefittings@gmail.com

NEEDLE VALVES



OD X OD



MALE X FEMALE



FEMALE X FEMALE



ANGLE TYPE

MANIFOLD VALVES



2VM 'R' TYPE



2VM 'RM' TYPE



3VM 'R' TYPE




3VM 'T' TYPE




3VM 'H' TYPE



5VM 'R' TYPE



5VM 'T' TYPE



5VM 'H' TYPE

GAUGE VALVE



SINGLE PORT



MULTI PORT



1/2" TO 2" - 150# TO 2500#

PROCESS & INSTR. CONNECTION

: 1/4" TO 1" - NPT/BSP & OTHERS ON REQUEST

BODY MATERIAL

: SS 304/316/316L/BRASS/INCONEL/MONEL/ HAST-C & OTHERS ON REQUEST

MAX. WORKING PRESSURE

: 3000 PSI / 6000 PSI / 10000 PSI

OPTIONS

: OXYGEN SERVICE / NACE/PMI/TPI/GRAFOIL & PEAK PACKING

BALL VALVE



BAR STOCK BALL VALVE



HIGH PRESSURE BALL VALVE



BALL VALVE OD X OD



3 WAY BALL VALVE

PROCESS & INSTR. CONNECTION

: 1/4" TO 1" - NPT/BSP & OTHERS ON REQUEST

BODY MATERIAL

: SS 304/316/316L & OTHERS ON REQUEST

MAX. WORKING PRESSURE

: 2000 PSI / 6000 PSI AT 100°C



KALPATARU
PIPE & FITTINGS

☎ : +91 66393519 / +91 99200 81850

E-mail : info@kalpatarupipe.com / kalpatarupipefittings@gmail.com

PRESSURE GAUGE ACCESSORIES



SNUBBER



GAUGE COCKS
1 WAY / 2 WAY



GAUGE COCKS
3 WAY



GAUGE SAVER



SYPHONE
(Q & U TYPE)



SWIVEL ADAPTER



FIN TYPE






PERFORATED TYPE

COOLING TOWER

PROCESS & INSTR. CONNECTION
BODY MATERIAL
MAX. WORKING PRESSURE
SET PRESSURE
OPTIONS

: 1/4" TO 1" - NPT/BSP & OTHERS ON REQUEST
: SS 304/316/316L/BRASS/INCONEL/MONEL/HAST-C & OTHERS ON REQUEST
: (SNUBBER 3000 PSI /6000 PSI) & (Gauge Cock 1500 PSI)
: GAUGE SAVER- 0.3 TO 400 bar
: OXYGEN SERVICE / NACE/PMI/TPI

CHECK VALVE/NRV



PROCESS & INSTR. CONNECTION
TUBE OD SIZE
BODY MATERIAL
MAX. WORKING PRESSURE

: 1/4" TO 1" - NPT/BSP & OTHERS ON REQUEST
: 1/8" TO 1" & 3MM TO 25MM
: SS 304/316/316L/BRASS/INCONEL/MONEL/HAST-C
: 3000 PSI / 6000 PSI / 10000 PSI

THERMOWELL



THREADED



FLANGED



WELDED



SANITARY

CONNECTION
FLANGE SIZE
PRESSURE RATING
MATERIAL
OPTIONS

: 1/4" TO 1" - NPT/BSP & OTHERS ON REQUEST
: 1/2" TO 3" ANSI & DN25 TO DN100 DIN
: 150# TO 1500# ANSI & PN10 TO PN100
: SS 304/316/316L/BRASS/INCONEL/MONEL/HAST-C & OTHERS ON REQUEST
: NACE/PMI/TPI/X-RAY/CAP & CHAIN



KALPATARU
PIPE & FITTINGS

☎ : +91 66393519 / +91 99200 81850


E-mail : info@kalpatarupipe.com / kalpatarupipefittings@gmail.com

DIAPHRAGM SEALS



MATERIAL : SS 304/316/316L/Inconel/Monel/Hast-C & Others On Request
DIAPHRAGM SEALS : Flanged, Threaded, Welded, Sanitary, DIN, Inline, Flushing Ring and Other Connections

AIR HEADERS



HEADER PIPE SIZE : 1" TO 4" (Seamless / ERW) Pipe / Sch - 40/ Sch - 80/ Sch - 160/C Class
INLET : Flange (ANSI B 16.5) 1/2" TO 3" or Ball valve of size 1/4" to 2" or with Flange & Valve Both at inlet
OUTLET / DRAIN : Needle Valves / Ball Valves / Pipe Male - Female Open Threads
TEST PRESSURE : Standard 20 kg/ cm.sq. (High Pressure Test offered)
MATERIAL : SS 304/316/316L/CS & Others on request

CONDENSATE/SEALPORT



PIPE SIZE : 1" TO 4" (Seamless / ERW) Pipe / Sch - 40 to Sch - XXS
TYPE : 3 Way / 4 Way
PIPE THREAD END CONN. : 1/4" to 2 NPT / BSP & Others on request (up to 9000 PSI)
MATERIAL : SS 304/316/316L/CS/BRASS/INCONEL/MONEL/HAST-C & OTHERS ON REQUEST

PANEL MOUNTED VALVES



3 WAY BALL VALVE



BALL VALVE



NEEDLE VALVE

PROCESS & INSTR. CONNECTION : 1/4" TO 1" - NPT/BSP & OTHERS ON REQUEST
: 1/8" OD TO 1" OD
BODY MATERIAL : SS 304/316/316L & OTHERS ON REQUEST
MAX. WORKING PRESSURE : 2000 PSI / 6000 PSI AT 100°C



KALPATARU
— PIPE & FITTINGS —

☎ : +91 66393519 / +91 99200 81850

E-mail : info@kalpatarupipe.com / kalpatarupipefittings@gmail.com

Industries We Cater



Oil & Gas



Chemical &
Pharmaceutical



Power Generation




Petro Chemical



Shipping



Other Process
Industries



Chena Rabari
+91 99200 81850

Dashrath Rabari
+91 8209094738

Ravi Shah
+91 91679 58201



KALPATARU
— PIPE & FITTINGS —

Regd. Address : 154/156, Dr. M.G. Mahimtura Lane,
3rd Kumbharwada, Mumbai-400004. Maharashtra, INDIA
PHONE : 022-6639 3519 / 9920081850
E-MAIL : info@kalpatarupipe.com / kalpatarupipefittings@gmail.com
Website : www.kalpatarupipe.com

Factory Address : Plot No. F/3, Fosbery Road, Coal Depot,
Sewri East, Mumbai - 400015. Maharashtra, INDIA